

**ADL DESKTOP AMP / DAC**
**RRP**

**GT-40 ALPHA**
**\$895.00**
*ADL GT-40 Alpha 24/192 DAC & ADC - MM/MC Phono stage*

The GT40a built for enthusiasts with growing music collections on their computer hard drives. It's a high performance 24bits/192kHz USB DAC that's amazingly affordable. Looking to convert your LPs or other analog sources to digital? The GT40a will take you to the podium with every album you archive.

The seriously-shielded audiophile-grade GT40a features a low-latency USB 2.0 audio driver that plays and records at 24bits/192kHz. A likely first for this category, the GT40a includes a built-in low-noise MM / MC phono preamp! Record your favorite vinyl to hard disk via the USB output.

The ADL GT40a features L/R analog outputs, and switchable line or phono inputs with a vivid, captivating sound that is simply unheard of in this category.

The ADL GT40a (wired with ADL's Formula 2 cable of course!) brings Furutech's signature sound -- smooth, detailed clarity -- to desktop systems, especially with high resolution 24bits/192kHz files, but even 16-bit/44.1kHz files sound impeccable and very musical.

- 24 / 192kHz Cirrus Logic CS4270 DAC / ADC chip
- 24 / 192kHz VIA VT1736 USB controller
- High Quality headphone amplifier for 16-300 ohm headphones
- 1 x analog RCA (switchable between L.L. & Phono) 1 x USB input
- 1 x analog RCA, 1 x USB output (USB is a shared in/out)
- High quality volume control /pre-amp stage
- 150 x 111 x 57 mm (W x D x H)

**ADL PORTABLE HEADPHONE AMP / DAC**

**A1**
**\$795.00**
*Portable headphone amplifier & USB DAC with DSD streaming support!*

The new ADL A1 is a high-resolution portable headphone amplifier and DAC that can be used with Android devices such as ADL's own X1 and iDevices. The A1 is also DSD-capable when used with either Mac or PC. The high-resolution sound that can be achieved through the A1 makes it perfect for portable audio enthusiasts who use the highest quality headphones to delve deeply into a recording. It's also ideal for those who want to run DSD 2X on either a laptop or a desktop.

- Support for Android & PC's/MAC's (can be used as emergency iDevice charger, does NOT draw power from connected device)
- Cirrus Logic CS4392K DSD & 24/192kHz Stereo DAC
- VIA VT1736 32bit/192kHz USB chip ,USB 2.0 accepts DSD 2.8M, 5.6M, 44.1/48/88.2/96/176.4/192kHz rates
- TEXAS INSTRUMENTS TPA6130A2 Headphone Amplifier chip with an SNR of 98 dB
- High performance headphone amplifier for 12-300 ohm headphones
- USB MiniB & Android / OTG inputs (USB-A)
- 3.5mm headphone output
- 3.5mm analog line input
- Optical digital line input
- Li-ion rechargeable battery
- 68 x 118 x 16.5 mm (W x D x H)


**X1**
**\$650.00**
*Portable headphone amplifier & USB DAC*

The X1 is small, discrete but highly specified with inputs supporting iOS digital at up to 16/48 via APPLE MFI certified USB Cable for iPod, iPhone, iPad devices. The X1 also runs 24/192 SPDIF with high-resolution files from PC via the PC's USB output. There's an analog line-level 4-pin 3.5mm input and a 4-pin 3.5mm output for headphones in the 12~600 ohm range. The 4-pin input supports 3.5mm Remote and Mic Earphones. The 3.5mm TOSLINK optical output delivers USB source signal up to 24/192. There's a convenient GND TRRS switch making it easy to change from one 4-pin set of 'phones to another.

- Support for iOS, Android & PC's (can be used as emergency iDevice charger, does NOT draw power from connected device)
- 24 / 192kHz ESS-ES9023 Stereo DAC
- 24-bit/192kHz XMOS XS1-L01A-TQ48 High-performance Streaming Controller (supports ASIO and Asynchronous mode)
- USB 2.0 High Speed compliant & 8/16/32/44.1/48/88.2/96/176.4/192 kHz sampling rates supported
- USB Type-A (iOS) & USB miniB (Android & PC) inputs
- High performance headphone amplifier for 12-600 ohm headphones
- 3.5mm headphone output
- 3.5mm analog line input
- 1650mAh Li-ion rechargeable battery
- 68 x 118 x 16.5 mm (W x D x H)

**ADL USB CABLES**
**RRP**


<b>FORMULA 2-B</b>	(0.6M)	\$80.00
HIGH PERFORMANCE	(1.2M)	\$90.00
USB CABLE A - B TYPE	(1.8M)	\$105.00
	(3.6M)	\$150.00
	(5.0M)	\$180.00



<b>FORMULA 2-mB</b>	(0.6M)	\$80.00
HIGH PERFORMANCE	(1.2M)	\$90.00
USB CABLE A - MINI B TYPE	(1.8M)	\$105.00

**ADL HDMI CABLES**


<b>ALPHA H1-4</b>	(1.2M)	\$120.00
HDMI V1.4a/CAT2	(2.5M)	\$220.00
ATC CERTIFIED - 3D, ARC	(5.0M)	\$350.00

**ADL INTERCONNECTS**


<b>ALPHA LINE PLUS</b>	(1.0M PR)	\$350.00
HI-END GRADE PCOCC		
AUDIO INTERCONNECT (RCA>RCA)		



<b>ALPHA LINE-2</b>	(1.0M PR)	\$250.00
ALPHA u-OFC		
AUDIO INTERCONNECT (RCA>RCA)		



<b>ALPHA LINE-1</b>	(1.0M PR)	\$130.00
ALPHA u-OFC		
AUDIO INTERCONNECT (RCA>RCA)		

**ADL OPTICAL CABLES**


<b>OPT-TT</b>	(1.2M)	\$180.00
HI-END GRADE OPTICAL CABLE		
TOSLINK - TOSLINK CONNECTORS		



<b>OPT-MT</b>	(10cm)	\$110.00
HI-END GRADE OPTICAL CABLE		
3.5mm MINI - TOSLINK CONNECTORS		



<b>OPT-MM</b>	(10cm)	\$110.00
HI-END GRADE OPTICAL CABLE		
3.5mm MINI - 3.5mm MINI CONNECTORS		

**ADL iD-8 APPLE LIGHTENING CABLES**
**RRP**


<b>GT-8*</b>	(0.10M)	\$220.00
APPLE LIGHTENING - USB A TYPE	(0.18M)	\$230.00

<b>iD-8</b>	(0.10M)	\$135.00
APPLE LIGHTENING - USB A TYPE	(0.18M)	\$140.00
	(1.0M)	\$180.00

**ADL iD-30 APPLE DOCK CABLES\***


<b>iD-30PA</b>	(0.10M)	\$95.00
APPLE DOCK - USB A TYPE	(1.0M)	\$125.00



<b>iD-30PS</b>	(0.10M)	\$85.00
APPLE DOCK - 3.5mm STEREO	(1.0M)	\$110.00



<b>iD-30PL</b>	(0.15M)	\$90.00
APPLE DOCK - RIGHT ANGLE 3.5mm STEREO		

**ADL iD35 3.5mm STEREO CABLES**


<b>iD-35SP</b>	(0.15M)	\$75.00
3.5mm STEREO CABLE	(0.6M)	\$80.00
	(1.2M)	\$100.00
	(1.8M)	\$115.00



<b>iD-35L</b>	(0.15M)	\$80.00
3.5mm STEREO CABLE		



<b>iD-35R</b>	(0.6M)	\$100.00
3.5mm STEREO CABLE	(1.2M)	\$115.00
	(1.8M)	\$130.00

**ADL OTG CABLES**


<b>OTG-MA</b>	(10cm)	\$90.00
HI-END GRADE OTG CABLE	(18cm)	\$95.00
USB A - MICRO B CONNECTORS		



<b>OTG-Mb</b>	(10cm)	\$90.00
HI-END GRADE OTG CABLE	(18cm)	\$95.00
MICRO B - MINI B CONNECTORS		



<b>OTG-MM</b>	(10cm)	\$90.00
HI-END GRADE OTG CABLE	(18cm)	\$95.00
MICRO B - MICRO B CONNECTORS		



<b>OTG-MF</b>	(10cm)	\$95.00
HI-END GRADE OPTICAL CABLE		
USB A (socket) - MICRO B CONNECTORS		

**\*SPECIAL ORDER ONLY - MINIMAL STOCK KEPT ON HAND**

**HEADPHONE CABLES**
**RRP**

**iHP-35 II**

 Furutech FT-735SM(R) 3.5mm stereo connectors (both ends)  
 For **ULTRASONIC** PROLine Series (Proline 2500, 750, 650, 550)

1.3m - \$135.00 ----- 3.0m - \$185.00


**iHP-35S**

 Furutech FT-763SM(R) 6.3mm stereo - Furutech FT-2PS  
 For **SENNHEISER** HD650, HD600, HD580, HD565,  
 HD545, HD-25SP

1.3m - \$245.00 ----- 3.0m - \$350.00


**iHP-35X II**

 Furutech FT-735SM(R) 3.5mm stereo - FT-608mF(R) mini XLR  
 For **ADL** H118 & H128, **AKG** Studio MKII series, Q701, K702,  
 K181DJ, **PIONEER** HDJ-2000

1.3m - \$135.00 ----- 3.0m - \$185.00


**iHP-35S-XLR**

 Furutech Rhodium XLR (x2) - Furutech FT-2PS  
 For **SENNHEISER** HD650, HD600, HD580, HD565,  
 HD545, HD-25SP

1.3m - \$330.00 ----- 3.0m - \$440.00


**iHP-35M-Plus**

 Furutech FT-735SM(R) 3.5mm stereo - Furutech MMCX (R)  
 For **SHURE** 535, 425, 315, 215

0.9m - \$160.00 ----- 1.3m - \$180.00


**iHP-35S-4XLR**

 Furutech FP-705M(R) - Furutech FT-2PS  
 For **SENNHEISER** HD650, HD600, HD580, HD565,  
 HD545, HD-25SP

1.3m - \$330.00 ----- 3.0m - \$440.00


**iHP-35ML**

 Furutech FT-763(G) 6.3mm stereo - Furutech MMCX (G)  
 For **SHURE** SRH1840, SRH1540, SRH1440

1.3m - \$260.00 ----- 3.0m - \$370.00


**iHP-35S-HD25**

 Furutech FT-735SM(R) 3.5mm stereo - Furutech FT-2PS  
 For **SENNHEISER** HD 25-1 series

1.3m - \$125.00


**iHP-35ML-XLR**

 Furutech gold-plated XLR (x2) - Furutech MMCX (G)  
 For **SHURE** SRH1840, SRH1540, SRH1440

1.3m - \$300.00 ----- 3.0m - \$420.00


**iHP-35L**

Furutech 3.5mm stereo - Right angle 3.5mm stereo

1.3m - \$125.00 ----- 3.0m - \$170.00


**iHP-35H**

 Furutech FT-763(R) 6.3mm stereo - Furutech FT-H800 (R)  
 For **SENNHEISER** HD-800

1.3m - \$330.00 ----- 3.0m - \$480.00


**iHP-3563 Adaptor**

 Silver Copper Hybrid Conductors  
 3.5mm stereo socket - molded 6.3mm stereo

0.25m - \$110.00 ----- 1.5m - \$185.00


**iHP-35H-XLR**

 Furutech Rhodium XLR (x2) - Furutech FT-H800 (R)  
 For **SENNHEISER** HD-800

1.3m - \$420.00 ----- 3.0m - \$580.00


**iHP-6335 Adaptor**

 Silver Copper Hybrid Conductors  
 6.3mm stereo socket - right angle 3.5mm stereo

0.19m - \$105.00


**iHP-35Hx**

 Furutech CF-763(R) 6.3mm - Furutech CF-H800 (R)  
 For **SENNHEISER** HD-800

1.3m - \$380.00 ----- 3.0m - \$540.00


**iHP-4M3 Adaptor**

 OCC Silver Copper Hybrid Conductors  
 Furutech XLR FP-705M(G) (x1) - FP-702F(G) female XLR (x2)

0.10m - \$140.00


**iHP-35Hx-XLR**

 Furutech CF-601M(R) XLR (x2) - Furutech CF-H800 (R)  
 For **SENNHEISER** HD-800

1.3m - \$680.00 ----- 3.0m - \$820.00


**iHP-4F3 Adaptor**

 OCC Silver Copper Hybrid Conductors  
 Furutech XLR FP-706F(G) (x1) - FP-701M(G) male XLR (x2)

0.10m - \$140.00


**iHP-35H-4XLR**

 Furutech FP-705M(R) XLR (x2) - Furutech FT-H800 (R)  
 For **SENNHEISER** HD-800

1.3m - \$420.00 ----- 3.0m - \$550.00